

IN THE CLAIMS

1 1. (currently amended) A communications device having first and second modes
2 of operation, where in the first mode of operation a display built into the device
3 displays information for direct viewing by a user, and where in the second mode of
4 operation the display built into the device projects information onto a reflective
5 surface for viewing by the user, wherein the first mode of operation the display
6 displays the information at such a size that the information is legible when viewed
7 directly by the user, and wherein the second mode of operation the display projects
8 the information onto the reflective surface at a size larger than when the information
9 is displayed for direct viewing by the user.

2. (cancelled)

1 3. (currently amended) The communications device as recited in claim 1 [[2]],
2 wherein the information projected onto the reflective surface appears as if it were
3 being displayed by a display device larger than the display.

1 4. (original) The communications device as recited in claim 1, wherein the first
2 mode of operation the display is viewable by the user through a window in a cover
3 while in a closed position, and wherein the second mode of operation the cover is in
4 an open position.

1 5. (original) The communications device as recited in claim 4, wherein the
2 information is also viewable directly by the user with the cover in the open position.

1 6. (original) The communications device as recited in claim 1, further
2 comprising an input device that permits input by the user when in either the first or
3 second modes of operation.

1 7. (original) The communications device as recited in claim 1, wherein the
2 device is a telephone that permits the user to conduct a conversation while also
3 viewing the display.

1 8. (currently amended) A personal communications device comprising:
2 a main body having a built-in display;
3 a cover hingably attached to the main body, wherein the display is viewable
4 by a user through an opening in the cover when the cover is in a closed position with
5 respect to the main body; [[and]]
6 a reflective surface attached to the main body for reflecting images projected
7 by the display when the cover is in an open position with respect to the main body;
8 and
9 wireless telephone circuitry for permitting the user to conduct a telephone
10 conversation, including a speaker in the cover and a microphone, wherein the user
11 can view the images projected onto the reflective surface while holding the device to
12 a side of the user's face to conduct the telephone conversation.

9. (cancelled)

1 10. (currently amended) The device as recited in claim 8 [[9]], wherein the
2 reflective surface and the display are both hingably attached to the main body and are
3 hinged to open positions for projection of the images from the display to the reflective
4 surface.

1 11. (original) The device as recited in claim 10, wherein the images are rotated
2 90 degrees when projected onto the reflective surface from an orientation when
3 displayed by the display when it is in a closed position.

1 12. (currently amended) The device as recited in claim [[9]] 8, further
2 comprising:

1 an input device for moving and selecting items displayed on the display by the
2 user.

1 13. (original) A personal communication device comprising a dual mode display
2 for a user's viewing in both a direct-view mode, wherein sufficiently-sized characters
3 are displayed in a manner visible to the user without further magnification, and in
4 "projection-view" mode, wherein more content can be displayed over that of the
5 direct-view mode.

1 14. (original) The device of claim 13, further comprising a tri-mode display for a
2 user's viewing in both an open direct-view mode, wherein sufficiently-sized
3 characters are displayed in a manner visible to the user without further magnification
4 when a lid is in an open position, a closed direct-view mode, wherein
5 sufficiently-sized characters are displayed in a manner visible to the user without
6 further magnification when the lid is in a closed position, and in "projection-view"
7 mode, wherein more content can be displayed over that of direct-view mode.
